

WHAT IS CLAIMED IS:

1. An authenticity output method of outputting a verification result of authenticity based on digital data, comprising the steps of:

registering information which is outputted together with the verification result of the authenticity based on the digital data into a personal table for verification;

verifying the authenticity based on the digital data; and

when the verification result of the authenticity based on the digital data is outputted, reading out the information registered in said personal table for verification and outputting said information in accordance with said verification result.

2. An authenticity output method of outputting a verification result of authenticity based on digital data, comprising the steps of:

registering information which is outputted together with the verification result of the authenticity based on the digital data into a personal table for verification of a server connected to a network;

requesting the verification of the authenticity based on the digital data to said server by a client connected to said network;

in said server, verifying the authenticity based on the digital data;

20062440 013002

in said server, reading out the information registered in said personal table for verification and sending said information to said client in accordance with said verification result; and

outputting by said client the information together with verification result and which was sent from said server.

3. A method according to claim 1 or 2, wherein the information which is outputted together with said verification result is multimedia data which can be sensitively recognized, such as arbitrary character train information, image data information, audio data information, motion image data information, or the like designated by the user.

4. A method according to claim 1 or 2, wherein the information which is outputted together with said verification result is encrypted and registered into said personal table for verification.

5. A method according to claim 1 or 2, wherein a digital signature is made to the information which is outputted together with said verification result and the obtained information is registered into said personal table for verification.

6. A method according to claim 1 or 2, wherein when said verification result of the authenticity based on said digital data is outputted, the information registered in said personal table for verification is outputted to a specific position designated by the

10062949.013002

user.

7. A method according to claim 1 or 2, wherein when said verification result of the authenticity based on said digital data is outputted, outputting the information registered in said personal table for verification to an output area which was newly formed.

8. A method according to claim 1 or 2, wherein when said verification result of the authenticity based on said digital data is outputted, the information registered in said personal table for verification is outputted together with specific authenticity information in said digital data designated by the user.

9. A method according to claim 1 or 2, wherein when a log-in dialog to a specific information processing apparatus is outputted, the information registered in said personal table for verification is read out and outputted together with said log-in dialog.

10. An authenticity output apparatus for outputting a verification result of authenticity based on digital data, comprising:

an information registration processing unit for registering information which is outputted together with the verification result of the authenticity based on the digital data into a personal table for verification; and

an information output processing unit for

200610161628001

verifying the authenticity based on the digital data, and when the verification result of the authenticity based on said digital data is outputted, reading out the information registered in said personal table for verification, and outputting said information in accordance with said verification result.

11. An authenticity output system for outputting a verification result of authenticity based on digital data through the network, comprising:

a server which is connected to said network and has an information registration processing unit for registering information which is outputted together with the verification result of the authenticity based on the digital data into a personal table for verification and an information output processing unit for verifying the authenticity based on the digital data, and when the verification result of the authenticity based on said digital data is outputted, reading out the information registered in said personal table for verification, and outputting said information to the network in accordance with said verification result; and

a client which connected to said network and has a client for requesting the verification of the authenticity based on the digital data and outputting the digital data together with verification result and which was sent from said server.

12. A program for allowing a computer to function

20051014 09:02:50

as an authenticity output apparatus for outputting a verification result of authenticity based on digital data, wherein

said program allows the computer to function as an information registration processing unit for registering information which is outputted together with the verification result of the authenticity based on the digital data into a personal table for verification and an information output processing unit for verifying the authenticity based on the digital data, and when said verification result is outputted, reading out the information registered in said personal table for verification, and outputting said information together with said verification result.

200610-042200H